

CEE 577: Surface Water Quality Modeling


Lecture #17

Streeter-Phelps: Distributed Sources &
Nitrogen


(Chapra, L22 & L23)

General Types of disperse loading

- Line Load



- Areal Load



- Volumetric Load

$$S_d = \frac{S_d''}{A_c} = \frac{S_d'}{H}$$

No-flow Diffuse Sources

- Examples
 - sediment release


$$\frac{\partial L}{\partial t} = -U \frac{\partial L}{\partial x} - k_r L + S_d$$

At steady state:

zero

And solving for: $L=0$, at $t=0$

$$L = \frac{S_d}{k_r} (1 - e^{-k_r t})$$



Deficit from a Distributed BOD Source

$$\frac{\partial D}{\partial t} = -U \frac{\partial D}{\partial x} - k_a D + k_d L$$

$$L = \frac{S_d}{k_r} (1 - e^{-k_r t})$$

And solving for: $L=0$, at $t=0$

$$D = \frac{k_d S_d}{k_r k_a} (1 - e^{-k_a t}) - \frac{k_d S_d}{k_r (k_a - k_r)} (e^{-k_r t} - e^{-k_a t})$$

Where: $t = \text{time of travel (x/U)}$

Distributed DO source/sink

- Sources: algae (photosynthesis)
- Sinks: algae (respiration); SOD
- Mass Balance

$$\frac{\partial D}{\partial t} = -U \frac{\partial D}{\partial x} - k_a D - P + R + \frac{S'_B}{H}$$

- Solution

$$D = \frac{-P + R + \left(\frac{S'_B}{H}\right)}{k_a} (1 - e^{-k_a t})$$

Overall Solution: D

$$\begin{aligned}
 D = & \boxed{D_o e^{-k_a t}} + \boxed{\frac{k_d L_o}{k_a - k_r} (e^{-k_r t} - e^{-k_a t})} \\
 & + \boxed{\frac{-P + R + \left(\frac{S'_B}{H} \right) (1 - e^{-k_a t})}{k_a}} \quad \text{Distributed Deficit} \\
 & + \boxed{\frac{k_d S_d}{k_r k_a} (1 - e^{-k_a t}) - \frac{k_d S_d}{k_r (k_a - k_r)} (e^{-k_r t} - e^{-k_a t})} \quad \text{Distributed BOD}
 \end{aligned}$$

Point Deficit (points to $D_o e^{-k_a t}$)
 Point BOD (points to $\frac{k_d L_o}{k_a - k_r} (e^{-k_r t} - e^{-k_a t})$)
 Distributed Deficit (points to the yellow box)
 Distributed BOD (points to the blue box)

Overall Solution: L

$$L = L_o e^{-k_r t} + \frac{S_D}{k_r} (1 - e^{-k_r t})$$

Point

Distributed

Diffuse Sources with Flow:
Analytical and Numerical Solutions

- To next lecture