

Table of Contents

Safety Information	iii
Consignes de sécurité	x
Quattro Premier XE Mass Spectrometer Information	xiv
Chapter 1	
Instrument Description	1
1.1 Overview	1
1.2 Sample Inlet.....	3
1.3 Vacuum System	3
1.4 MassLynx Control System	3
1.5 Front Panel Controls, Indicators, and Connections.....	4
1.5.1 Power Switch	4
1.5.2 Embedded PC Reset Switch	4
1.5.3 Cone Gas, Desolvation Gas, and Nebulizer Gas Connections	6
1.5.4 Electrical Connections	7
1.5.5 Status Display	7
1.5.6 Divert/Injection Valve	8
1.6 Rear Panel Connections	10
1.6.1 Analog Channels	10
1.6.2 Contact Closure	11
1.6.3 Gas Fail	11
1.6.4 CE Int (Capillary Electrophoresis Interlock)	12
1.6.5 Comm For EPC	12
1.6.6 Com1	12
1.6.7 Aux O/P	12
1.6.8 Pump Relay	12
1.6.9 GAS IN	13

1.6.10	Collision Gas In	14
1.6.11	Exhaust	14
1.6.12	Waste	15
1.6.13	Mains Power Connection	15
1.6.14	Mains Power Fuses	15
1.6.15	Vacuum Connections	15
1.7	Top Panel	15
1.8	Mass Flow Controllers	16
Chapter 2		
Setting-Up and Tuning for ESI		17
2.1	Setting-Up	17
2.1.1	Removing the APCI Probe	17
2.1.2	Removing the APCI Corona Discharge Pin	19
2.1.3	Installing the ESI (Electrospray) Probe	20
2.2	Tuning via Sample Infusion	22
2.2.1	Tuning for MS Operation	22
2.2.2	Tuning for MS/MS (Daughter Ion) Operation	29
2.2.3	Creating the MRM MS Method File	30
2.3	Preparing the Instrument for Data Acquisition	32
2.3.1	Reconfiguring the Connection to the Probe	32
2.3.2	Configuring the Inlet for LC Operation	33
2.3.3	Creating a Sample List and Starting Data Acquisition	33
2.3.4	Viewing and Printing the Tuning Parameters Associated with a Data File	34
Chapter 3		
Setting-Up and Tuning for APCI		35
3.1	Setting-Up	35
3.1.1	Removing the ESI Probe	35
3.1.2	Installing the APCI Corona Discharge Pin	36

3.1.3	Installing the APCI Probe	38
3.2	Tuning via Sample Infusion	40
3.2.1	Tuning for MS Operation	40
3.2.2	Tuning for MS/MS (Daughter Ion) Operation	46
3.2.3	Creating the MRM MS Method File	48
3.3	Preparing the Instrument for Data Acquisition	50
3.3.1	Reconfiguring the Connection to the Probe	50
3.3.2	Configuring the Inlet for LC Operation	51
3.3.3	Creating a Sample List and Starting Data Acquisition	51
3.3.4	Viewing and Printing the Tuning Parameters Associated with a Data File	52
 Chapter 4		
ESCi Multi-Mode Operation		53
4.1	Preparing the Instrument	53
4.2	Tuning the Instrument	54
4.3	Data Acquisition.....	55
 Chapter 5		
Acquiring Data		57
5.1	Starting an Acquisition	57
5.1.1	Starting an Acquisition from the Tune Window	57
5.1.2	Starting Multiple-Sample Acquisition from the MassLynx Window	60
5.1.3	Automatic Quantification of the Sample List	63
5.2	Monitoring an Acquisition	65
5.2.1	Viewing the Status of an Acquisition	65
5.2.2	Viewing a Chromatogram in Real-Time	65
5.2.3	Viewing a Spectrum in Real-Time	65
5.3	Selecting Instrument Data Thresholds	66
5.3.1	Profile Data	67
5.3.2	Centroid Data	68

5.3.3	SIR Data	68
5.3.4	Ion Counting Threshold	68
5.3.5	Profile Data – Spike Removal	69
5.3.6	Analog Data	69
5.4	Checking the Status of the Communications Link	70
5.5	Stopping an Acquisition	70
5.6	Pausing an Acquisition	70
5.7	Setting-Up Scanning Functions	71
5.7.1	Creating a Function List	71
5.7.2	Setting-Up a Full Scan Function	77
5.7.3	Setting-Up an SIR Function	81
5.7.4	Setting-Up MS/MS Scanning Functions	84
5.7.5	Setting-Up an MRM Function	88
5.7.6	Setting-Up a Survey Function	88
5.7.7	Monitoring Acquisitions	111

Chapter 6

Setting-Up Mass Calibration	113
6.1 Overview	113
6.1.1 Types of Calibration	113
6.1.2 Calibration Process	114
6.2 Calibrating for Electrospray Operation	114
6.2.1 Preparing for Calibration	114
6.2.2 Selecting the Calibration Options	118
6.2.3 Setting the Calibration Parameters	119
6.2.4 Performing a Calibration	123
6.2.5 Calibration Failure	127
6.2.6 Incorrect Calibration	128
6.2.7 Manually Checking the Calibration	129
6.2.8 Manually Editing the Peak Matching	131

6.2.9 Saving the Calibration	132
6.2.10 Verifying the Calibration	132

Chapter 7

Maintenance Procedures	133
7.1 Maintenance Schedule.....	133
7.2 Safety and Handling	134
7.3 Replacing the Source Enclosure and Probe O-rings	135
7.4 Emptying the Nitrogen Exhaust Waste Bottle.....	140
7.5 Gas-Ballasting the Rotary Pump (E2M28)	141
7.6 Checking the Rotary Pump Oil	143
7.7 Changing the Rotary Pump Oil	144
7.7.1 Required Materials	144
7.7.2 Procedure	144
7.8 Replacing the Oil Mist and Odor Filter Elements.....	145
7.8.1 Required Materials	145
7.8.2 Procedure	145
7.9 Cleaning the Source Components	148
7.9.1 Overview	148
7.9.2 Required Materials	149
7.9.3 Removing the Probe from the Source	149
7.9.4 Removing the Sample Cone	151
7.9.5 Removing the Gas Exhaust Port	156
7.9.6 Removing the Ion Source Enclosure and Ion Block	157
7.9.7 Removing the Source T-Wave Assembly from the Instrument	160
7.9.8 Disassembling the Source T-Wave Assembly	162
7.9.9 Disassembling the Source Ion Block	164
7.9.10 Cleaning the Sample Cone and Cone Gas Cone	172
7.9.11 Cleaning the Gas Exhaust Port	172
7.9.12 Cleaning the Source T-Wave Components	173

7.9.13	Cleaning the Ion Block and Extraction Cone	174
7.9.14	Cleaning the Isolation Valve Stem	175
7.9.15	Reassembling the Source Ion Block	175
7.9.16	Reassembling the Source T-Wave Assembly	176
7.9.17	Fitting the Source T-Wave Assembly to the Instrument	176
7.9.18	Fitting the Ion Block and Ion Source Enclosure	177
7.9.19	Fitting the Gas Exhaust Port	178
7.9.20	Fitting the Sample Cone	178
7.10	Cleaning or Replacing the ESI Probe Tip	178
7.10.1	Required Materials	179
7.10.2	Procedure	179
7.11	Cleaning or Replacing the Corona Discharge Pin.....	180
7.11.1	Required Materials	180
7.11.2	Procedure	180
7.12	Cleaning the APCI Probe Tip.....	181
7.13	Replacing the Ion Block Cartridge Heater	182
7.13.1	Required Materials	182
7.13.2	Procedure	182
7.14	Replacing the ESI Probe Sample Capillary.....	187
7.14.1	Required Materials	187
7.14.2	Removing the Existing Capillary	188
7.14.3	Installing the New Capillary	192
7.15	Replacing the APCI Probe Sample Capillary	196
7.15.1	Required Materials	196
7.15.2	Removing the Existing Capillary	197
7.15.3	Installing the New Capillary	201
7.16	Replacing the APCI Probe Heater.....	206
7.16.1	Required Materials	206
7.16.2	Procedure	207

Chapter 8

Troubleshooting	211
8.1 Spare Parts	211
8.2 Safety and Handling	211
8.3 System Troubleshooting	211
8.4 Component Hardware Troubleshooting	213
8.4.1 Power Switch Fails to Power-up the Instrument	213
8.4.2 No Peaks in the Tune Window (No Ion Beam)	213
8.4.3 Unsteady or Low Intensity Peaks (Ion Beam)	215
8.4.4 Unusually High LC Backpressure	216
8.4.5 Unusually Low LC Backpressure	217
8.4.6 Insufficient Vacuum	217
8.4.7 Leaking Nitrogen	218
8.4.8 Rotary Pump Oil Accumulated in the Exhaust Tubing	218
8.4.9 Ion Source Heater and Desolvation Heater are Not Working	219
8.4.10 APCI Probe Heater Not Working	219
8.4.11 Failure of the Fuse Supplying the Rotary Pump	219
8.4.12 Ion Mode Fault	220
8.4.13 Failure to Recognize a Particular Probe Type	220
8.4.14 Ripple	221
8.4.15 Loss of Communication with the Instrument	221
8.4.16 IEEE Communication Errors	222
8.5 High Noise Levels in MRM Analyses	222
8.5.1 Chemical Noise	223
8.5.2 Electronic Noise	223
8.6 Contacting Waters	224

Appendix A

Starting Up and Shutting Down the Instrument	225
A.1 Starting Up the Instrument	225

A.2	Shutting Down the Instrument	228
A.2.1	Emergency Shutdown	228
A.2.2	Overnight Instrument Shutdown	228
A.2.3	Complete Instrument Shutdown	228
 Appendix B		
Setting-Up the Syringe Pump		231
 Appendix C		
The MassLynx Tune Window		233
C.1	Opening the MassLynx Tune Window	233
C.2	Selecting the Ionization Mode	233
C.3	Controlling Gas Flows	235
C.3.1	Controlling the Nebulizer, Desolvation, and Cone Gas Flows	235
C.3.2	Controlling the Collision Gas Flow	235
C.4	Controlling the Syringe Pump	235
C.5	Selecting the Syringe Type	235
C.6	Selecting the Scan Time and Inter Scan Delay	236
C.7	Setting the Ramp Controls	236
C.7.1	Creating a Cone Voltage Ramp	236
C.7.2	Controlling the Cone Voltage Ramp	237
C.7.3	Creating a Collision Energy Ramp	237
C.7.4	Controlling the Collision Energy Ramp	238
C.8	Resetting the Zero Level	238
C.9	Controlling the Display of Readback Windows	238
C.10	Changing Tune Parameter Settings	239
C.11	Saving Instrument Tune Parameters	239
C.11.1	Creating a New Instrument Parameter File	240
C.11.2	Saving Tune Parameters in an Instrument Parameter File	240
C.11.3	Opening an Existing Instrument Parameter File	240
C.12	Printing Tune Information	240

C.13	Using the EasyTune Source Page.....	241
C.14	Changing Between the Peak and Vacuum Displays.....	241
C.15	Setting-Up Peaks for Tuning.....	241
C.15.1	Selecting Peaks for Tuning	241
C.15.2	Selecting the Operating Mode for a Peak	242
C.15.3	Selecting the Tune Mass for a Peak	242
C.15.4	Selecting the Span of a Displayed Peak	243
C.15.5	Changing the Gain of a Displayed Peak	244
C.16	Customizing the Peak Display	244
C.16.1	Opening the Peak Display Menu	244
C.16.2	Customizing the Colors and Numbers of Displayed Traces	245
C.16.3	Customizing the Peak Trace Line Appearance	246
C.16.4	Customizing the Peak Intensity Display	246
C.16.5	Customizing the Peak Display Grid	246
C.17	Selecting the Instrument Name	247
C.18	The Diagnostics Page.....	247
C.19	Manually Controlling the T-Wave Optics	247

Appendix D

Calibration Reference Information	251
D.1 Overview	251
D.2 Editing a Calibration Reference File	251
D.3 Positive Ion Calibration Reference Files	252
D.3.1 Polyethylene Glycol	253
D.3.2 Sodium Iodide and Cesium Iodide Mixture	253
D.3.3 Sodium Iodide and Rubidium Iodide Mixture	254
D.4 Negative Ion Calibration Reference Files	254
D.5 Preparing Reference Sample Solutions.....	255
D.5.1 Preparing the PEGNH4 Reference Sample Solution	255

D.5.2	Preparing the Sodium Iodide and Cesium Iodide Mixture Sample Solution	255
-------	--	-----

Appendix E

Performance Specifications	257	
E.1	Electrospray Positive Ion	257
E.2	Electrospray Negative Ion	257
E.3	MS Resolution	257
E.4	Mass Measurement Accuracy	258
E.5	APCI Positive Ion	258

Appendix F

Theory and Principles of Operation	259		
F.1	Ionization Techniques.....	259	
	F.1.1	Electrospray Ionization (ESI)	259
	F.1.2	Atmospheric Pressure Chemical Ionization (APCI)	260
F.2	Ion Optics	260	
F.3	MS Operating Modes	261	
F.4	MS/MS Operating Modes	262	
	F.4.1	Daughter (Product) Ion Mode	262
	F.4.2	Parent (Precursor) Ion Mode	264
	F.4.3	Multiple Reaction Monitoring (MRM) Mode	265
	F.4.4	Constant Neutral Loss Mode	266
	F.4.5	Source and Collision Cell T-Wave Devices	267

Appendix G

Materials of Construction and Compliant Solvents	269	
G.1	Items Exposed to Solvent.....	269
G.2	Common Ingredients Used to Prepare Mobile Phases.....	270

Index	271
--------------------	-----